



# **945 Warehouse Shipping Advice - BISG**

**Version: 1.0 Final**

<b>Company:</b>	<b>Book Industry Study Group <a href="http://bisg.org/">http://bisg.org/</a></b>
<b>Publication:</b>	<b>3/21/2008</b>
<b>Trading Partner:</b>	<b>Manufacturing Executive Interest Group (MEIG)</b>
<b>Notes:</b>	<b>Final Version for Approval - BISG Board of Directors meeting on March 27th, 2008.</b>

Development Platform Software provided by

**EDIFECS™**

*"The Quality and Compliance Company®"*

Edifecs' SpecBuilder 6.5  
selected as the Development Platform  
for the MEIG ASN Sub-Committee

For Information Contact:

[info@edifecs.com](mailto:info@edifecs.com)

(425) 452-0650

[www.edifecs.com](http://www.edifecs.com)

# Table of Contents

945	Warehouse Shipping Advice.....	1
ST	Transaction Set Header .....	2
W06	Warehouse Shipment Identification .....	3
0100	Loop Party Identification .....	4
N1	Party Identification.....	5
N3	Party Location .....	6
N4	Geographic Location .....	7
N9	Extended Reference Information.....	8
G61	Contact .....	9
G62	Date/Time .....	10
W27	Carrier Details (Warehouse).....	12
W10	Warehouse Additional Carrier Information.....	13
G72	Allowance or Charge .....	14
0300	Loop Transaction Set Line Number .....	15
LX	Transaction Set Line Number.....	16
MAN	Marks and Numbers Information.....	17
0310	Loop Warehouse Item Detail .....	18
W12	Warehouse Item Detail .....	19
N9	Extended Reference Information.....	21
W03	Total Shipment Information (Warehouse) .....	22
SE	Transaction Set Trailer .....	23

# 945

## Warehouse Shipping Advice

### Functional Group=SW

**Purpose:** This X12 Transaction Set contains the format and establishes the data contents of the Warehouse Shipping Advice Transaction Set (945) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by the warehouse to advise the depositor that shipment was made. It is used to reconcile order quantities with shipment quantities.

#### Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	ST	Transaction Set Header	M	1			Must use
0200	W06	Warehouse Shipment Identification	M	1			Must use
<b>LOOP ID - 0100</b>					<b>10</b>		
0400	N1	Party Identification	M	1			Must use
0600	N3	Party Location	O	2			Used
0700	N4	Geographic Location	O	1			Used
0900	N9	Extended Reference Information	O	10			Used
1000	G61	Contact	O	3			Used
1100	G62	Date/Time	O	5			Used
1300	W27	Carrier Details (Warehouse)	O	1			Used
1500	W10	Warehouse Additional Carrier Information	O	10			Used
1550	G72	Allowance or Charge	O	5			Used
<b>Detail:</b>							
<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - 0300</b>					<b>&gt;1</b>		
0050	LX	Transaction Set Line Number	O	1			Used
0100	MAN	Marks and Numbers Information	O	>1			Used
<b>LOOP ID - 0310</b>					<b>&gt;1</b>		
0200	W12	Warehouse Item Detail	O	1			Used
0400	N9	Extended Reference Information	O	200			Used
<b>Summary:</b>							
<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	W03	Total Shipment Information (Warehouse)	O	1			Used
0200	SE	Transaction Set Trailer	M	1			Must use

# ST Transaction Set Header

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	<b>Transaction Set Identifier Code</b>	M	ID	3/3	Must use
<b>Description:</b> Code uniquely identifying a Transaction Set						
		<u>Code</u>		<u>Name</u>		
		945		Warehouse Shipping Advice		
ST02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						
ST03	1705	<b>Implementation Convention Reference</b>	O	AN	1/35	Used
<b>Description:</b> Reference assigned to identify Implementation Convention						

## Semantics:

1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

# W06 Warehouse Shipment Identification

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 8

**User Option (Usage):** Must use

**Purpose:** To provide identifying numbers, dates, and other basic data for this transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W0601	514	<b>Reporting Code</b>	M	ID	1/1	Must use
		<b>Description:</b> Code specifying the basis used when reporting shipment information				
		<u>Code</u>		<u>Name</u>		
		F		Full Detail		
W0602	285	<b>Depositor Order Number</b>	O	AN	1/22	Used
		<b>Description:</b> Identifying number for warehouse shipping order assigned by the depositor				
W0603	373	<b>Date</b>	O	DT	8/8	Used
		<b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
W0604	145	<b>Shipment Identification Number</b>	O	AN	1/30	Used
		<b>Description:</b> Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters)[BOL]				
W0605	531	<b>Agent Shipment ID Number</b>	O	AN	1/12	Used
		<b>Description:</b> Identification number assigned to the shipment by the agent (Number does not contain blank or punctuation characters) [PRO Number]				
W0606	324	<b>Purchase Order Number</b>	O	AN	1/22	Used
		<b>Description:</b> Identifying number for Purchase Order assigned by the orderer/purchaser				
W0607	474	<b>Master Reference (Link) Number</b>	X	AN	1/22	Used
		<b>Description:</b> Reference number assigned by the sender to relate a transaction set to a master transaction (When associating a group of purchase orders, invoices or other transaction sets, use the master reference (link) number to identify the group and the link sequence number to identify individual transaction sets within the group)				
W0608	472	<b>Link Sequence Number</b>	X	NO	6/6	Used
		<b>Description:</b> A two-part number in the form "SSSTTT" where "SSS" is a sequentially assigned number and "TTT" equals the highest sequential number being used within the associated (linked) group (Leading zeros are required for both "SSS" and "TTT")				

## Syntax Rules:

1. P0708 - If either W0607 or W0608 is present, then the other is required.

## Semantics:

1. W0603 is the actual date on which shipment was made.

# Loop Party Identification

Pos: 0400	Repeat: 10
Mandatory	
Loop: 0100	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0400	N1	Party Identification	M	1		Must use
0600	N3	Party Location	O	2		Used
0700	N4	Geographic Location	O	1		Used

# N1 Party Identification

Pos: 0400	Max: 1
Heading - Mandatory	
Loop: 0100	Elements: 5

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				
		<b><u>Code</u></b>		<b><u>Name</u></b>		
		BT		Bill-to-Party		
		MF		Manufacturer of Goods		
		SF		Ship From		
		ST		Ship To		
		VN		Vendor		
N102	93	<b>Name</b>	X	AN	1/60	Used
		<b>Description:</b> Free-form name				
N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)				
		<b><u>Code</u></b>		<b><u>Name</u></b>		
		1		D-U-N-S Number, Dun & Bradstreet		
		9		D-U-N-S+4, D-U-N-S Number with Four Character Suffix		
		15		Standard Address Number (SAN)		
		91		Assigned by Seller or Seller's Agent		
		92		Assigned by Buyer or Buyer's Agent		
		UL		Global Location Number (GLN)		
		ZZ		Mutually Defined		
N104	67	<b>Identification Code</b>	X	AN	2/80	Used
		<b>Description:</b> Code identifying a party or other code				
N105	706	<b>Entity Relationship Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code describing entity relationship <b>All valid standard codes are used.</b>				

## Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

## Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

# N3 Party Location

Pos: 0600	Max: 2
Heading - Optional	
Loop: 0100	Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify the location of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	<b>Address Information</b>	M	AN	1/55	Must use
		<b>Description:</b> Address information				
N302	166	<b>Address Information</b>	O	AN	1/55	Used
		<b>Description:</b> Address information				

# N4 Geographic Location

Pos: 0700	Max: 1
Heading - Optional	
Loop: 0100	Elements: 4

**User Option (Usage):** Used

**Purpose:** To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	O	AN	2/30	Used
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	X	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	O	ID	3/15	Used
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	<b>Country Code</b>	X	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

## Syntax Rules:

1. E0207 - Only one of N402 or N407 may be present.
2. C0605 - If N406 is present, then N405 is required.
3. C0704 - If N407 is present, then N404 is required.

## Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

# N9

## Extended Reference Information

Pos: 0900	Max: 10
Heading - Optional	
Loop: N/A	Elements: 2

**User Option (Usage):** Used

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

### Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use
<b>Description:</b> Code qualifying the Reference Identification						
		<b><u>Code</u></b>	<b><u>Name</u></b>			
		06	System Number			
		AO	Appointment Number			
		CR	Customer Reference Number			
		DP	Department Number			
		IA	Internal Vendor Number			
		MA	Ship Notice/Manifest Number			
		MB	Master Bill of Lading			
		PK	Packing List Number			
		WO	Work Order Number			

N902	127	Reference Identification	X	AN	1/80	Used
------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

### Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

### Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

# G61 Contact

Pos: 1000	Max: 3
Heading - Optional	
Loop: N/A	Elements: 5

**User Option (Usage):** Used

**Purpose:** To identify a person or office to whom communications should be directed

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6101	366	<b>Contact Function Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying the major duty or responsibility of the person or group named				
		<u>Code</u>		<u>Name</u>		
		AJ		Primary Contact		
G6102	93	<b>Name</b>	M	AN	1/60	Must use
		<b>Description:</b> Free-form name				
G6103	365	<b>Communication Number Qualifier</b>	X	ID	2/2	Used
		<b>Description:</b> Code identifying the type of communication number				
		<u>Code</u>		<u>Name</u>		
		TE		Telephone		
G6104	364	<b>Communication Number</b>	X	AN	1/256	Used
		<b>Description:</b> Complete communications number including country or area code when applicable				
G6105	443	<b>Contact Inquiry Reference</b>	O	AN	1/20	Used
		<b>Description:</b> Additional reference number or description to clarify a contact number				

## Syntax Rules:

1. P0304 - If either G6103 or G6104 is present, then the other is required.

## Comments:

1. G6103 qualifies G6104.

# G62 Date/Time

Pos: 1100	Max: 5
Heading - Optional	
Loop: N/A	Elements: 4

**User Option (Usage):** Used

**Purpose:** To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6201	432	Date Qualifier	X	ID	2/2	Used

**Description:** Code specifying type of date

<u>Code</u>	<u>Name</u>
10	Requested Ship Date/Pickup Date
11	Shipped on This Date

G6202	373	Date	X	DT	8/8	Used
-------	-----	------	---	----	-----	------

**Description:** Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

G6204	337	Time	X	TM	4/8	Used
-------	-----	------	---	----	-----	------

**Description:** Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

G6205	623	Time Code	O	ID	2/2	Used
-------	-----	-----------	---	----	-----	------

**Description:** Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow

<u>Code</u>	<u>Name</u>
AD	Alaska Daylight Time
AS	Alaska Standard Time
AT	Alaska Time
CD	Central Daylight Time
CS	Central Standard Time
CT	Central Time
ED	Eastern Daylight Time
ES	Eastern Standard Time
ET	Eastern Time
GM	Greenwich Mean Time
HD	Hawaii-Aleutian Daylight Time
HS	Hawaii-Aleutian Standard Time
HT	Hawaii-Aleutian Time
MD	Mountain Daylight Time
MS	Mountain Standard Time
MT	Mountain Time
ND	Newfoundland Daylight Time
NS	Newfoundland Standard Time
NT	Newfoundland Time
PD	Pacific Daylight Time
PS	Pacific Standard Time
PT	Pacific Time
TD	Atlantic Daylight Time

TS	Atlantic Standard Time
TT	Atlantic Time

**Syntax Rules:**

1. R0103 - At least one of G6201 or G6203 is required.
2. P0102 - If either G6201 or G6202 is present, then the other is required.
3. P0304 - If either G6203 or G6204 is present, then the other is required.

# W27 Carrier Details (Warehouse)

Pos: 1300	Max: 1
Heading - Optional	
Loop: N/A	Elements: 7

**User Option (Usage):** Used

**Purpose:** To specify details of the transportation equipment and carrier routing details

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W2701	91	Transportation Method/Type Code	M	ID	1/2	Must use

**Description:** Code specifying the method or type of transportation for the shipment

<u>Code</u>	<u>Name</u>
H	Customer Pickup
M	Motor (Common Carrier)
U	Private Parcel Service
AP	Air (Package Carrier)
LT	Less Than Trailer Load (LTL)

W2702	140	Standard Carrier Alpha Code	X	ID	2/4	Used
-------	-----	-----------------------------	---	----	-----	------

**Description:** Standard Carrier Alpha Code

W2703	387	Routing	X	AN	1/35	Used
-------	-----	---------	---	----	------	------

**Description:** Free-form description of the routing or requested routing for shipment, or the originating carrier's identity

W2704	146	Shipment Method of Payment	O	ID	2/2	Used
-------	-----	----------------------------	---	----	-----	------

**Description:** Code identifying payment terms for transportation charges

W2705	40	Equipment Description Code	O	ID	2/2	Used
-------	----	----------------------------	---	----	-----	------

**Description:** Code identifying type of equipment used for shipment

<u>Code</u>	<u>Name</u>
TL	Trailer (not otherwise specified)

W2706	206	Equipment Initial	O	AN	1/4	Used
-------	-----	-------------------	---	----	-----	------

**Description:** Prefix or alphabetic part of an equipment unit's identifying number

W2707	207	Equipment Number	O	AN	1/15	Used
-------	-----	------------------	---	----	------	------

**Description:** Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)

## Syntax Rules:

1. R0203 - At least one of W2702 or W2703 is required.

## Semantics:

1. W2702 is required when W2701 equals "B", "E", "H", "I", "K", "L", "M", "P" or "T".
2. W2706 is required when W2701 equals "R".

## Comments:

1. Shipment/Order Status Code is used at the total-invoice level only when differences cannot be provided at the line-item level or when the entire order has been shipped complete.

# W10 Warehouse Additional Carrier Information

Pos: 1500	Max: 10
Heading - Optional	
Loop: N/A	Elements: 4

**User Option (Usage):** Used

**Purpose:** To transmit shipping information and requirements

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W1001	400	<b>Unit Load Option Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code identifying loading or unloading a shipment				
		<u>Code</u>		<u>Name</u>		
		01		Palletized		
W1002	406	<b>Quantity of Pallets Shipped</b>	O	N0	1/3	Used
		<b>Description:</b> Number of pallets shipped				
W1003	399	<b>Pallet Exchange Code</b>	O	ID	1/1	Used
		<b>Description:</b> Code specifying pallet exchange instructions <b>All valid standard codes are used.</b>				
W1004	225	<b>Seal Number</b>	O	AN	2/15	Used
		<b>Description:</b> Unique number on seal used to close a shipment				

**Syntax Rules:**

1. P0607 - If either W1006 or W1007 is present, then the other is required.
2. P0809 - If either W1008 or W1009 is present, then the other is required.

**Semantics:**

1. W1006 is the minimum allowable temperature condition for shipment (degrees Fahrenheit).
2. W1008 is the maximum allowable temperature condition for shipment (degrees Fahrenheit).

# G72 Allowance or Charge

Pos: 1550	Max: 5
Heading - Optional	
Loop: N/A	Elements: 3

**User Option (Usage):** Used

**Purpose:** To specify allowances, charges, or services

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G7201	340	<b>Allowance or Charge Code</b>	M	ID	1/3	Must use
<b>Description:</b> Code identifying the type of allowance or charge						
		<u>Code</u>	<u>Name</u>			
		503	Special Handling			
G7202	331	<b>Allowance or Charge Method of Handling Code</b>	M	ID	2/2	Must use
<b>Description:</b> Code indicating method of handling for an allowance or charge						
		<u>Code</u>	<u>Name</u>			
		CA	Calculate and Add to Invoice			
G7208	360	<b>Allowance or Charge Total Amount</b>	X	N2	1/15	Used
<b>Description:</b> Total dollar amount for the allowance or charge						

## Syntax Rules:

1. R03050809 - At least one of G7203, G7205, G7208 or G7209 is required.
2. E050809 - Only one of G7205, G7208 or G7209 may be present.
3. P0607 - If either G7206 or G7207 is present, then the other is required.
4. P0910 - If either G7209 or G7210 is present, then the other is required.
5. C1103 - If G7211 is present, then G7203 is required.

## Semantics:

1. G7209 is the allowance or charge percent.

## Comments:

1. The G73 segment is required when G7201 contains code "499" or "999"; however, the use of these codes is discouraged.

# Loop Transaction Set Line Number

Pos: 0050	Repeat: >1
	Optional
Loop: 0300	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To reference a line number in a transaction set

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0050	LX	Transaction Set Line Number	O	1		Used
0100	MAN	Marks and Numbers Information	O	>1		Used
0200		Loop 0310	O		>1	Used

**LX**

**Transaction Set Line  
Number**

Pos: 0050	Max: 1
Detail - Optional	
Loop: 0300	Elements: 1

**User Option (Usage):** Used

**Purpose:** To reference a line number in a transaction set

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LX01	554	Assigned Number	M	N0	1/6	Must use

**Description:** Number assigned for differentiation within a transaction set

# MAN Marks and Numbers Information

Pos: 0100	Max: >1
Detail - Optional	
Loop: 0300	Elements: 6

**User Option (Usage):** Used

**Purpose:** To indicate identifying marks and numbers for shipping containers

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MAN01	88	Marks and Numbers Qualifier	M	ID	1/2	Must use
<b>Description:</b> Code specifying the application or source of Marks and Numbers (87)						
		<u>Code</u>	<u>Name</u>			
		GM	EAN.UCC Serial Shipping Container Code (SSCC) and Application Identifier			
		UC	U.P.C. Shipping Container Code			
MAN02	87	Marks and Numbers	M	AN	1/48	Must use
<b>Description:</b> Marks and numbers used to identify a shipment or parts of a shipment						
MAN03	87	Marks and Numbers	O	AN	1/48	Used
<b>Description:</b> Marks and numbers used to identify a shipment or parts of a shipment						
MAN04	88	Marks and Numbers Qualifier	X	ID	1/2	Used
<b>Description:</b> Code specifying the application or source of Marks and Numbers (87)						
		<u>Code</u>	<u>Name</u>			
		GM	EAN.UCC Serial Shipping Container Code (SSCC) and Application Identifier			
		UC	U.P.C. Shipping Container Code			
MAN05	87	Marks and Numbers	X	AN	1/48	Used
<b>Description:</b> Marks and numbers used to identify a shipment or parts of a shipment						
MAN06	87	Marks and Numbers	O	AN	1/48	Used
<b>Description:</b> Marks and numbers used to identify a shipment or parts of a shipment						

## Syntax Rules:

1. P0405 - If either MAN04 or MAN05 is present, then the other is required.
2. C0605 - If MAN06 is present, then MAN05 is required.

## Semantics:

1. MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container.
2. When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range.
3. When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.

## Comments:

1. When MAN01 contains code "UC" (U.P.C. Shipping Container Code) and MAN05/MAN06 contain a range of ID numbers, MAN03 is not used. The reason for this is that the U.P.C. Shipping Container code is the same on every carton that is represented in the range in MAN05/MAN06.
2. MAN03 and/or MAN06 are only used when sending a range(s) of ID numbers.
3. When both MAN02/MAN03 and MAN05/MAN06 are used to send ranges of ID numbers, the integrity of the two ID numbers must be maintained.

# Loop Warehouse Item Detail

Pos: 0200	Repeat: >1
Optional	
Loop: 0310	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To designate those line items that were shipped

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0200	W12	Warehouse Item Detail	O	1		Used
0400	N9	Extended Reference Information	O	200		Used

# W12 Warehouse Item Detail

Pos: 0200	Max: 1
Detail - Optional	
Loop: 0310	Elements: 14

**User Option (Usage):** Used

**Purpose:** To designate those line items that were shipped

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W1201	368	Shipment/Order Status Code	M	ID	2/2	Must use

**Description:** Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction

<u>Code</u>	<u>Name</u>
CC	Shipment Complete on (Date)
CM	Shipment Complete with Additional Quantity
CP	Partial Shipment on (Date), Considered No Backorder
PR	Partial Shipment

W1202	380	Quantity	O	R	1/15	Used
-------	-----	----------	---	---	------	------

**Description:** Numeric value of quantity

W1203	382	Number of Units Shipped	O	R	1/10	Used
-------	-----	-------------------------	---	---	------	------

**Description:** Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set

W1204	383	Quantity Difference	O	R	1/9	Used
-------	-----	---------------------	---	---	-----	------

**Description:** Numeric value of variance between ordered and shipped quantities

W1205	355	Unit or Basis for Measurement Code	O	ID	2/2	Used
-------	-----	------------------------------------	---	----	-----	------

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

**All valid standard codes are used.**

W1207	235	Product/Service ID Qualifier	X	ID	2/2	Used
-------	-----	------------------------------	---	----	-----	------

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**All valid standard codes are used.**

W1208	234	Product/Service ID	X	AN	1/48	Used
-------	-----	--------------------	---	----	------	------

**Description:** Identifying number for a product or service

W1209	451	Warehouse Lot Number	O	AN	1/12	Used
-------	-----	----------------------	---	----	------	------

**Description:** Reference number assigned by the warehouse

W1210	81	Weight	X	R	1/10	Used
-------	----	--------	---	---	------	------

**Description:** Numeric value of weight

W1211	187	Weight Qualifier	X	ID	1/2	Used
-------	-----	------------------	---	----	-----	------

**Description:** Code defining the type of weight

<u>Code</u>	<u>Name</u>
G	Gross Weight

W1212	188	Weight Unit Code	X	ID	1/1	Used
-------	-----	------------------	---	----	-----	------

**Description:** Code specifying the weight unit

<u>Code</u>	<u>Name</u>
-------------	-------------

		L	Pounds				
W1217	235	<b>Product/Service ID Qualifier</b>		X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
		<b>Code</b>	<b>Name</b>				
		IN	Buyer's Item Number				
W1218	234	<b>Product/Service ID</b>		X	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service					
W1219	892	<b>Line Item Change Reason Code</b>		O	ID	2/2	Used
		<b>Description:</b> Code defining reason for any difference between quantity ordered and quantity shipped for a line item					

### Syntax Rules:

1. R0607 - At least one of W1206 or W1207 is required.
2. P0708 - If either W1207 or W1208 is present, then the other is required.
3. P101112 - If either W1210, W1211 or W1212 are present, then the others are required.
4. P131415 - If either W1213, W1214 or W1215 are present, then the others are required.
5. P1718 - If either W1217 or W1218 is present, then the other is required.
6. P2122 - If either W1221 or W1222 is present, then the other is required.

### Semantics:

1. Whenever W1201 contains "IS", W1216, W1217, and W1218 refer to the original item ordered.
2. W1202 is quantity ordered.

# N9

## Extended Reference Information

Pos: 0400	Max: 200
Detail - Optional	
Loop: 0310	Elements: 2

**User Option (Usage):** Used

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

### Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use
<b>Description:</b> Code qualifying the Reference Identification						
		<u>Code</u>	<u>Name</u>			
		LI	Line Item Identifier (Seller's)			
		OP	Original Purchase Order			
		PO	Purchase Order Number			

N902	127	Reference Identification	X	AN	1/80	Used
------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

### Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

### Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

# W03 Total Shipment Information (Warehouse)

Pos: 0100	Max: 1
Summary - Optional	
Loop: N/A	Elements: 3

**User Option (Usage):** Used

**Purpose:** To provide totals relating to the shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
W0301	382	<b>Number of Units Shipped</b>	M	R	1/10	Must use
		<b>Description:</b> Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set				
W0302	81	<b>Weight</b>	X	R	1/10	Used
		<b>Description:</b> Numeric value of weight				
W0303	355	<b>Unit or Basis for Measurement Code</b>	X	ID	2/2	Used
		<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		<u>Code</u>	<u>Name</u>			
		LB	Pound			

## Syntax Rules:

1. P0203 - If either W0302 or W0303 is present, then the other is required.
2. P0405 - If either W0304 or W0305 is present, then the other is required.
3. P0607 - If either W0306 or W0307 is present, then the other is required.

# SE Transaction Set Trailer

Pos: 0200	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	NO	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Comments:

1. SE is the last segment of each transaction set.